

**FIG 1**




FIG 1


**FIG 2**

	200	210	220
	Lookup Table	Predetermined Identifier	Predetermined Command
230	Entry 1a	Default Insertion Command	TransferActiveCall, NetworkAddress1, PhoneNumber1
235	Entry 1b	Default Removal Command	TransferActiveCall, NetworkAddress1, CellPhoneNumber
240	Entry 2	I1	TransferActiveCall, NetworkAddress2, PhoneNumber2
250	Entry 3	I2	Transfer ActiveCall, NetworkAddress3, PhoneNumber3
260	Entry 4	I3, 255.255.255.255	TransferActiveCall, NetworkAddress3, 255.255.255.255
270	Entry N	I4, 255.255.255.255, 7325551212	TransferActiveCall, 255.255.255.255, (732) 555-1212
280	none	none	TurnOnVoiceMail, 255.255.255.255 7325551212

**Predetermined Command Lookup Table**


FIG. 2 is a diagram of a Predetermined Command Lookup Table.

**FIG 3**




099909-070999  
000000000000

## FIG 4



1999-0591-00000000

**FIG 5**



**FIG 6**

	600			610			620		
	Lookup Table			Network Address			Filter Condition		
630	Entry 1			NetworkAddress1			Available		
640	Entry 2			NetworkAddress2			Accept		
650	Entry 2			NetworkAddress3			Reject		

**Filter Condition Lookup Table**

FIG. 6